

PRODUCT ACCEPTANCE STANDARD



Cement CA50-G6

Company Reg No: 2014/044801/07
Tel: 010 599 2442
Website: www.mineralzonesa.com

Product Details

Product Description: Cement CA50-G6
Product Packaging: 25Kg Paper bags in 1.2mt bulk bags.

Typical Chemical Properties

Elements	Al ₂ O ₃	SiO ₂	Fe ₂ O ₃	CaO
Units	%	%	%	%
	50% Min	9% Max	2.5% Max	33.5-35.5% Max

Physical Properties Guarantee

Initial set time: 1 hr 38 min
Final set time: 3 hrs 51 mins
Specific surface area: 351 m²/kg min
Flexural strength (1 day): 6.6 Mpa min
Flexural strength (3 days): 7.7 Mpa min
Compressive strength (1 day): 54.1 Mpa min
Compressive strength (3 days): 63.9 Mpa min